

The Canadian Entomologist

INDEX TO VOLUME 104

1972

Editor: D. P. Pleiou



THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA

CONTENTS

- Allen, D. C.** Insect parasites of the saddled prominent, *Heterocampa guttivitta* (Lepidoptera: Notodontidae), in the northeastern United States, 1609.
- Al-Rabiah, S.** Sex differentiation in the pupae and adults of *Ips sexdentatus* (Coleoptera: Scolytidae), 1029.
- Anderson, N. H. and Wold, J. L.** Emergence trap collections of Trichoptera from an Oregon stream, 189.
- Arnold, J. W.** A comparative study of the haemocytes (blood cells) of cockroaches (Insecta: Dictyoptera: Blattaria), with a view of their significance in taxonomy, 309. Haemocytology in insect biosystematics: The prospect, 655.
- Arthur, A. P., Hegdekar, B. M., and Batsch, W. W.** A chemically defined, synthetic medium that induces oviposition in the parasite *Itoplectis conquisitor* (Hymenoptera: Ichneumonidae), 1251.
- Atkins, M. D.** Developmental variability among laboratory reared balsam woolly aphid (Hemiptera: Kerriidae), 203.
- Auclair, J. L. and Srivastava, P. N.** Some mineral requirements of the pea aphid, *Acyrtosiphon pisum* (Homoptera: Aphididae), 927.
- Bailey, D. L., LaBrecque, G. C., and Whitfield, T. L.** Low-volume and conventional non-thermal aerosols against insecticide susceptible and resistant house flies (Diptera: Muscidae), 641.
- Bakke, A.** See Vité, J. P., 1967.
- Baldwin, W. F.** See Chant, G. D., 941; Gross, H. P., 1217.
- Baldwin, W. F. and Gross, H. P.** Fluctuations in numbers of adult black flies (Diptera: Simuliidae) in Deep River, Ontario, 1465.
- Bartell, J. A.** See Proshold, F. I., 165, 221, 995.
- Batsch, W. W.** See Arthur, A. P., 1251.
- Beckwith, R. C.** Scolytid flight in white spruce stands in Alaska, 1977.
- Beirne, B. P.** The biological control attempt against the European wheat stem sawfly, *Cephus pygmaeus* (Hymenoptera: Cephidae), in Ontario, 987. See also McKenzie, L. M., 1229.
- Bennett, E. W.** See Prokopy, R. J., 97.
- Berg, C. O.** See Eckblad, J. W., 1735.
- Berryman, A. A.** See Livingston, R. L., 1793.
- Biggs, J. D.** Aggressive behavior in the adult apple maggot (Diptera: Tephritidae), 349.
- Bireh, M. C.** See Lanier, G. N., 1917.
- Borden, J. H.** See Richerson, J. V., 1235, 1877; Fockler, C. E., 1841.
- Bracken, G. K. and Dondale, C. D.** Fertility and survival of *Achaearanea tepidariorum* (Araneida: Theridiidae) on a diet of chemosterilized mosquitoes, 1709.
- Bradley, G. A.** Transplanting *Formica obscuripes* and *Dolichoderus taschenbergi* (Hymenoptera: Formicidae) colonies in jack pine stands of southeastern Manitoba, 245.
- Bright, D. E.** New species of Scolytidae (Coleoptera) from Mexico, with additional notes. I. Tribes Xyleborini and Corthylini, 1369. II. Subfamilies Scolytinae and Hylesininae, 1489. III. Tribe Pityophthorini (except *Pityophthorus*), 1665.
- Brookfield, J. F.** The inhabitants (Hymenoptera: Cynipidae, Chalcidoidea) of the cynipidous galls of *Quercus borealis* in Nova Scotia, 1123.
- Brower, J. H.** Combined effects of egg age and radiation dosage on egg hatch of *Tenebrio molitor* (Coleoptera: Tenebrionidae), 141.
- Brower, J. H. and Scott, H. C.** Gamma radiation sensitivity of the spider beetle, *Gibbium psylloides* (Coleoptera: Ptinidae), 1551.
- Brown, N. R.** See Stewart, J. F., 1051; Smith, T. D., 1801.
- Brust, R. A.** See Dixon, R. D., 961; Evans, K. W., 1937.
- Bryant, D. G.** See Ottos, I. S., 1511.
- Buckner, C. H. and Cunningham, J. C.** The effect of the poxvirus of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), on mammals and birds, 1333.
- Burgess, L.** See Wiens, J. E., 1557.
- Burzynski, A. Z.** See Guthrie, J. E., 411.
- Bush, G. L.** See Prokopy, R. J., 97, 275.
- Byers, J. R.** See Danks, H. V., 81.
- Cameron, M. D.** See Eidt, D. C., 1901.
- Careavallo, R. U. and Martínez, A.** Life cycles of some species of *Triatoma* (Hemiptera: Reduviidae), 699.
- Carter, N. E.** See Smith, T. D., 1801.
- Chant, G. D. and Baldwin, W. F.** Dispersal and longevity of mosquitoes tagged with ^{32}P , 941.

- Cheng, H. H.** Oviposition and longevity of the dark-sided cutworm, *Euxoa messoria* (Lepidoptera: Noctuidae), in the laboratory, 919.
- Cleveland, M. L.** See Dolphin, R. E., 1593.
- Coles, L. W.** See Drea, J. J., 1445.
- Collis, D. G.** See Harris, J. W. E., 723.
- Craig, D. A.** Observing insect embryos with a scanning electron microscope, 761.
- Cunningham, J. C.** See Buckner, C. H., 1333.
- Danks, H. V.** See Oliver, D. R., 1413.
- Danks, H. V. and Byers, J. R.** Insects and arachnids of Bathurst Island, Canadian Arctic Archipelago, 81.
- Danks, H. V. and Oliver, D. R.** Seasonal emergence of some High Arctic Chironomidae (Diptera), 661.
Diel periodicities of emergence of some High Arctic Chironomidae (Diptera), 903.
- Daterman, G. E.** Effects of high temperature and vapor pressure deficit on European pine shoot moth, *Rhyacionia buoliana* (Lepidoptera: Olethreutidae), egg production and survival, 1387.
- Depner, K. R.** See Peterson, B. V., 289.
- Dessart, P.** See Masner, L., 505.
- Dixon, R. D. and Brust, R. A.** Mosquitoes of Manitoba. III. Ecology of larvae in the Winnipeg area, 961.
- Dolphin, R. E., Mouzin, T. E., and Cleveland, M. L.** Insects associated with peach wood in eastern United States, 1593.
- Dondale, C. D.** Effects of carbofuran on arthropod populations and crop yield in hayfields, 1433.
See also Bracken, G. K., 1709; Fox, C. J. S., 1911.
- Dondale, C. D. and Redner, J. H.** A synonym proposed in *Perimones*, a synonym rejected in *Walckenaera*, and a new species described in *Cochlembolus* (Araneida: Eriigonidae), 1643.
- Downes, J. A.** Canadian records of *Phlebotomus vexator*, *Trichomyia nuda*, and *Maruina lanceolata* (Diptera: Psychodidae), 1135.
- Downing, R. S. and Moilliet, T. K.** Replacement of *Typhlodromus occidentalis* by *T. caudiglans* and *T. pyri* (Acarina: Phytoseiidae) after cessation of sprays on apple trees, 937.
- Drea, J. J., Dysart, R. J., Coles, L. W., and Loan C. C.** *Microctonus stelleri* (Hymenoptera: Braconidae, Euphorinae), a new parasite of the alfalfa weevil introduced into the United States, 1445.
- Dysart, R. J.** See Drea, J. J., 1445.
- Eckblad, J. W. and Berg, C. O.** Population dynamics of *Sepedon fuscipennis* (Diptera: Sciomyzidae), 1735.
- Eidt, D. C. and Cameron, M. D.** Measuring growth and development in post-diapause spruce budworms (Lepidoptera: Tortricidae), 1901.
- Embree, D. G. and Underwood, G. R.** Establishment in Maine, Nova Scotia, and New Brunswick of *Olesicampe benefactor* (Hymenoptera: Ichneumonidae), an introduced ichneumonid parasite of the larch sawfly, *Pristiphora erichsonii* (Hymenoptera: Tenthredinidae), 89.
- Eshelman, C. W. and Plowright, R. C.** Factors influencing recognition of the nest entrance by returning bumble bee foragers (Hymenoptera: Apidae), 389.
- Evans, D.** Alternate generations of gall cynipids (Hymenoptera Cynipidae) on garry oak, 1805.
- Evans, K. W. and Brust, R. A.** Induction and termination of diapause in *Wyeomyia smithii* (Diptera: Culicidae), and larval survival studies at low and subzero temperatures, 1937.
- Ferguson, D. C.** Two new conifer-feeding species of the genus *Semiothisa* (Lepidoptera: Geometridae), 563.
- Flannagan, J. F. and Lawler, G. H.** Emergence of caddisflies (Trichoptera) and mayflies (Ephemeroptera) from Heming Lake, Manitoba, 173.
- Fockler, C. E. and Borden, J. H.** Sexual behavior and seasonal mating activity of *Trypodendron lineatum* (Coleoptera: Scolytidae), 1841.
- Ford, R. J.** See Lee, Y. W., 1745.
- Forsythe, H. Y.** See Langille, R. H., 1781.
- Founk, J.** See McClanahan, R. J., 1573.
- Fox, C. J. S. and Dondale, C. D.** Annotated list of spiders (Araneae) from hayfields and their margins in Nova Scotia, 1911.
- Frazer, B. D.** Life tables and intrinsic rates of increase of apterous black bean aphids and pea aphids, on broad bean (Homoptera: Aphididae), 1717.
Population dynamics and recognition of biotypes in the pea aphid (Homoptera: Aphididae), 1729.

- Fredeen, F. J. H.** The temporary abatement of nuisance species of Trichoptera with DDD (TDE) larvicide, 145.
Reactions of the larvae of three rheophilic species of Trichoptera to selected insecticides, 945.
- Freeman, T. N.** A correlation of some butterfly distributions with geological formations, 443.
The coniferous feeding species of *Argyresthia* in Canada (Lepidoptera: Yponomeutidae), 687.
- Freitag, R.** Female genitalia of the North American species of the *Cicindela maritima* group (Coleoptera: Cicindelidae), 1277.
- Freitag, R. and Lee, S. K.** Sound producing structures in adult *Cicindela tranquebarica* (Coleoptera: Cicindelidae) including a list of tiger beetles and ground beetles with flight wing files, 851.
- French, J. R. J. and Rooper, R. A.** Interactions of the ambrosia beetle, *Xyleborus dispar* (Coleoptera: Scolytidae), with its symbiotic fungus *Ambrosiella hartigii* (Fungi Imperfecti), 1635.
- Furniss, M. M.** See Rudinsky, J. A., 815; Lanier, G. N., 1917.
- Furniss, M. M. and Furniss, R. L.** Scolytids (Coleoptera) on snowfields above timberline in Oregon and Washington, 1471.
- Furniss, M. M., Hungerford, R. D., and Wicker, E. F.** Insects and mites associated with western white pine blister rust cankers in Idaho, 1713.
- Furniss, R. L.** See Furniss, M. M., 1471.
- Fye, R. E.** The effect of forest disturbances on populations of wasps and bees in north-western Ontario (Hymenoptera: Aculeata), 1623.
- Gallopin, G. C. and Kitching, R. L.** Studies on the process of ingestion in the predatory bug *Podisus maculiventris* (Hemiptera: Pentatomidae), 231.
- George, J. A.** See Yahneke, W., 567.
- Gibson, F.** See Shepard, M., 1951.
- Gillott, C.** See Pickford, R., 715, 873.
- Gray, T. G.** See Shepherd, R. F., 751.
- Green, G. W.** See Syme, P. D., 523.
- Gregg, R. E.** The northward distribution of ants in North America, 1073.
- Grisdale, D.** An improved method for producing large numbers of second-instar spruce budworm larvae, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1955.
- Gross, H. P.** See Baldwin, W. F., 1465.
- Gross, H. P., Baldwin, W. F., and West, A. S.** Introductory studies on the use of radiation in the control of black flies (Diptera: Simuliidae), 1217.
- Guppy, J. C.** See Miller, C. D. F., 1995.
- Guthrie, J. E. and Burzynski, A. Z.** Accumulation of ¹³⁷Cs by *Aedes aegypti* larvae and the effect of potassium concentration, 411.
- Haas, G. E., Martin, R. P., Swickard, M. and Wilson, N.** Bird fleas (Siphonaptera) of New Mexico, 881.
- Halstead, T. F.** A new species of *Largus* (Hemiptera: Largidae), 959.
- Hamilton, K. G. A.** The Manitoban fauna of leafhoppers (Homoptera: Cicadellidae). I. Descriptions of new species and colour forms, 825. II. The fauna of macro-leafhoppers, 1137.
- Harcourt, D. G.** See Latheef, M. A., 1271.
- Hardy, A. R.** A brief revision of the North and Central American species of *Megasoma* (Coleoptera: Scarabaeidae), 765.
- Hardwick, D. F.** The influence of temperature and moon phase on the activity of noctuid moths, 1767.
- Harris, J. W. E., Collis, D. G., and Magar, K. M.** Evaluation of the tree-beating method for sampling defoliating forest insects, 723.
- Harris, P.** Food-plant groups of the Semanophorinae (Lepidoptera: Sphingidae): A possible taxonomic tool, 71.
- Haynes, D. L.** See Helgesen, R. G., 797.
- Hegdekar, B. M.** See Arthur, A. P., 1251.
- Helgesen, R. G. and Haynes, D. L.** Population dynamics of the cereal leaf beetle, *Oulema melanopus* (Coleoptera: Chrysomelidae): A model for age specific mortality, 797.
- Heron, R. J.** Differences in postdiapause development among geographically distinct populations of the larch sawfly, *Pristiphora erichsonii* (Hymenoptera: Tenthredinidae), 1307.
- Hinks, C. F.** See Krunic, M. D., 889.
- House, H. L.** Inversion in the order of food superiority between temperatures effected by nutrient balance in the fly larva *Agria housei* (Diptera: Sarcophagidae), 1559.

- Howden, H. F.** New species of *Dialithus* Parry and a new synonym of *Pantodinus* Burmeister (Coleoptera: Scarabaeidae: Trichiinae), 647.
- Hungerford, R. D.** See Furniss, M. M., 1713.
- Jansson, A.** Systematic notes and new synonymy in the genus *Cenocorixa* (Hemiptera: Corixidae), 449.
- Jaques, R. P.** The inactivation of foliar deposits of viruses of *Trichoplusia ni* (Lepidoptera: Noctuidae) and *Pieris rapae* (Lepidoptera: Pieridae) and tests on protectant additives, 1985.
- Johnson, C.** An analysis of geographical variation in the damselfly, *Agria apicalis* (Zygoptera: Coenagrionidae), 1515.
- Jong, C.** See McMullen, R. D., 1209.
- Kelton, L. A.** Four new species of *Bolteria*, with a key to North American species and a note on the species found in Canada (Heteroptera: Miridae), 627.
Species of *Dichrooscytus* found in Canada, with descriptions of four new species (Heteroptera: Miridae), 1033.
Descriptions of nine new species of *Dichrooscytus* from North America (Heteroptera: Miridae), 1457.
Picromerus bidens in Canada (Heteroptera: Pentatomidae), 1743.
- Kelton, L. A. and Schaffner, J. C.** A note on *Dichrooscytus elegans*, with descriptions of four new species from New Mexico and Texas (Heteroptera: Miridae), 1439.
- Kitching, R. L.** See Gallopin, G. C., 231.
- Kline, L. N.** See Rudinsky, J. A., 815.
- Krunic, M. D.** Voltinism in *Megachile rotundata* (Megachilidae: Hymenoptera) in southern Alberta, 185.
- Krunic, M. D. and Hinks, C. F.** The effect of temperature and of temperature pretreatment on diapause and on the synchronization of adult emergence in *Megachile rotundata* (Hymenoptera: Megachilidae), 889.
- Kulman, H. M.** See Witter, J. A., 705.
- LaBreeque, G. C.** See Bailey, D. L., 641.
- LaBreeque, G. C., Meifert, D. W., and Rye, J.** Experimental control of stable flies, *Stomoxys calcitrans* (Diptera: Muscidae), by releases of chemosterilized adults, 885.
- Lam, A. B. Q. and Webster, J. M.** Morphological characteristics for differentiating larval instars of leatherjackets, *Tipula paludosa* (Diptera: Tipulidae), 899.
- Langille, R. H. and Forsythe, H. Y.** Biology of the blueberry thrips *Frankliniella vaccinii* and *Catinathrips kainos* in Maine (Thysanoptera: Thripidae), 1781.
- Lanier, G. N.** Biosystematics of the genus *Ips* (Coleoptera: Scolytidae) in North America. Hopping's groups IV and X, 361.
- Lanier, G. N., Birch, M. C., Schmitz, R. F., and Furniss, M. M.** Pheromones of *Ips pini* (Coleoptera: Scolytidae): Variation in response among three populations, 1917.
- Latheef, M. A. and Hareourt, D. G.** A quantitative study of food consumption, assimilation, and growth in *Leptinotarsa decemlineata* (Coleoptera: Chrysomelidae) on two host plants, 1271.
- Lawler, G. H.** See Flannagan, J. F., 173.
- Lee, S. K.** See Freitag, R., 851.
- Lee, Y. W., Ford, R. J., McDonald, H., McKinlay, K. S., Putnam, L. G., and Saha, J. G.** Residues of methomyl in rape plant and seed following its application for the control of bertha armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae), 1745.
- Leech, R. E. and Ryan, J. K.** Notes on Canadian Arctic spiders (Araneida), mainly from Devon Island, N.W.T., 1787.
- Lindquist, E. E.** An unusual new species of *Asca* from North America (Acarina: Ascidae), 1543.
A new species of *Tarsonemus* from stored grain (Acarina: Tarsonemidae), 1699.
See also Marshall, V. G., 239.
- Livingston, R. L. and Berryman, A. A.** Fungus transport structures in the fir engraver, *Scolytus ventralis* (Coleoptera: Scolytidae), 1793.
- Loan, C. C.** See Drea, J. J., 1445.
- Loan, C. C. and Thompson, L. S.** *Pygostolus falcatus* found in Prince Edward Island (Hymenoptera: Braconidae, Blacinae), 779.
- Lord, F. T.** Comparisons of the abundance of the species composing the foliage inhabiting fauna of apple trees, 731.
- Loschiavo, S. R.** See Starratt, A. N., 757; Metcalfe, D. R., 1427.
- Lucas, B. A.** See Lyon, R. L., 417.
- Lucuik, G. S.** See Sanders, C. J., 1751.

- Lyon, R. L., Richmond, C. E., Robertson, J. L., and Lucas, B. A.** Rearing diapause and diapause-free western spruce budworm (*Choristoneura occidentalis*) (Lepidoptera: Tortricidae) on an artificial diet, 417.
- Macdonald, J. A.** See Smith, S. G., 785.
- Macdowall, F. D. H.** Phototactic action spectrum for whitefly and the question of colour vision, 299.
- MacGown, M. W. and Osgood, E. A.** Taxonomy and biology of chalcidoid and proctotrupoid Hymenoptera associated with *Dasineura balsamicola* (Diptera: Cecidomyiidae) in Maine, 1259.
- Mackauer, M.** The aphid-attacking genera of Aphelinidae (Hymenoptera), including the description of a new genus, 1771.
- MacKay, M. R.** The larvae of Canadian Arctic Noctuidae (Lepidoptera), 859.
The larva of *Nomophila noctuella* (Lepidoptera: Pyralidae), 1479.
- MacKay, R. J.** Temporal patterns in life history and flight behaviour of *Pycnopsyche gentilis*, *P. luculenta*, and *P. scabripennis* (Trichoptera: Limnephilidae), 1819.
- MacLellan, C. R.** Codling moth populations under natural, integrated, and chemical control on apple in Nova Scotia (Lepidoptera: Olethreutidae), 1397.
Sex ratio in three stages of field collected codling moth, 1661.
- Magar, K. M.** See Harris, J. W. E., 723.
- Mansingh, A., Steele, R. W., Smallman, B. N., Meresz, O., and Mozogai, C.** Pheromone effects of *cis*-9 long chain alkenes on the common house fly — an improved sex attractant combination, 1963.
- Marshall, V. G. and Lindquist, E. E.** Notes on the genus *Nalepella* (Acarina: Eriophyoidea) and the occurrence of *N. halourga* on black spruce in Canada, 239.
- Martin, R. P.** See Haas, G. E., 881.
- Martínez, A.** See Carcavallo, R. U., 699.
- Masner, L.** The classification and interrelationships of Thoronini (Hymenoptera: Proctotrupoidea, Scelionidae), 833.
A new genus of Scelionidae from Trinidad, W.I. (Hymenoptera: Proctotrupeidae), 1213.
- Masner, L. and Dessart, P.** Notes on Embidobiini (Scelionidae: Hymenoptera) with description of a new genus, 505.
- McAlpine, J. F. and Tanasijtshuk, V. N.** Identity of *Leucopis argenticollis* and description of a new species (Diptera: Chamaemyiidae), 1865.
- McClanahan, R. J. and Founk, J.** Control of the European corn borer (Lepidoptera: Pyralidae) on sweet corn and peppers in southwestern Ontario, 1573.
- McDonald, H.** See Lee, Y. W., 1745.
- McFadden, M. W.** The soldier flies of Canada and Alaska (Diptera: Stratiomyidae). I. Beridinae, Sarginae, and Clitellariinae, 531.
- McFarlane, J. E.** Studies on vitamin E in the house cricket, *Acheta domesticus* (Orthoptera: Gryllidae). I. Nutritional albinism, 511. II. In vivo inhibition by vitamin E of a phenolase system in the egg, 515. III. Tarsal absorption of vitamin E and fatty acid methyl esters by larvae, 519.
- McGinnis, A. J.** See Metcalfe, D. R., 1427.
- McKenzie, L. M. and Beirne, B. P.** A grape leafhopper, *Erythroneura ziczac* (Homoptera: Cicadellidae), and its mymarid (Hymenoptera) egg-parasite in the Okanagan Valley, British Columbia, 1229.
- McKinlay, K. S.** See Lee, Y. W., 1745.
- McLeod, J. M.** A comparison of discrimination and of density responses during oviposition by *Exenterus amictorius* and *E. diprionis* (Hymenoptera: Ichneumonidae), parasites of *Neodiprion swainei* (Hymenoptera: Diprionidae), 1313.
See also Tostowaryk, W., 1343.
- McMorran, A.** Effects of some environmental factors on the occurrence of second diapause in laboratory-reared *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1649.
- McMullen, R. D. and Jong, C.** Influence of temperature and host vigor on fecundity of the pear psylla (Homoptera: Psyllidae), 1209.
- McMurtry, J. A.** See Sandness, J. N., 461.
- Meifert, D. W.** See LaBrecque, G. C., 885.
- Meresz, O.** See Mansingh, A., 1963.
- Metealfe, D. R., Loschiavo, S. R., and McGinnis, A. J.** Evaluation of cereal cultivars for feeding value with the confused flour beetle, *Tribolium confusum* (Coleoptera: Tenebrionidae), 1427.
- Miller, C. D. F., Mukerji, M. K., and Guppy, J. C.** Notes on the spatial pattern of *Hypera postica* (Coleoptera: Curculionidae) on alfalfa, 1995.

- Milliron, H. E. See Wong, H. R., 1025.
- Mitchell, B. K. and Seabrook, W. D. Morphological investigations on the tarsal receptors of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1931.
- Moilliet, T. K. See Downing, R. S., 937.
- Monteith, L. G. Status of predators of the adult apple maggot, *Rhagoletis pomonella* (Diptera: Tephritidae), in Ontario, 257.
- Morley, R. L. and Ring, R. A. The intertidal Chironomidae (Diptera) of British Columbia. I. Keys to their life stages, 1093. II. Life history and population dynamics, 1099.
- Morris, G. K. and Pipher, R. E. The relation of song structure to tegminal movement in *Metrioptera sphagnorum* (Orthoptera: Tettigoniidae), 977.
- Morris, O. N. Inhibitory effects of foliage extracts of some forest trees on commercial *Bacillus thuringiensis*, 1357. Susceptibility of some forest insects to mixtures of commercial *Bacillus thuringiensis* and chemical insecticides, and sensitivity of the pathogen to the insecticides, 1419.
- Morris, R. Frank. Fecundity and colony size in natural populations of *Hyphantria cunea*, 399. Predation by insects and spiders inhabiting colonial webs of *Hyphantria cunea*, 1197. Predation by wasps, birds, and mammals on *Hyphantria cunea*, 1581.
- Morris Ray F. Note on the raspberry bud moth, *Lampronia rubiella* (Lepidoptera: Incurvariidae), new to Newfoundland, 917.
- Mouzin, T. E. See Dolphin, R. E., 1593.
- Mozogai, C. See Mansingh, A., 1963.
- Mukerji, M. K. A study of allometric growth in five species of mirids (Miridae: Hemiptera), 1223. See also Miller, C. D. F., 1995.
- Munroe, E. A new species of *Midila* Walker (Lepidoptera: Pyralidae: Midilinae) from Venezuela, 711. See also Mutuura, A., 609.
- Mutuura, A. Morphology of the female terminalia in Lepidoptera, and its taxonomic significance, 1055.
- Mutuura, A. and Munroe, E. American species of *Dioryctria* (Lepidoptera: Pyralidae). III. Grouping of species: Species of the *auranticella* group, including the Asian species, with the description of a new species, 609.
- Odera, J. A. A defoliator of pines, *Orgyia hopkinsi* (Lepidoptera: Lymantriidae) in Turbo, Kenya, 355.
- Oliver, D. R. See Danks, H. V., 661, 903.
- Oliver, D. R. and Danks, H. V. Sex ratios of some High Arctic Chironomidae (Diptera), 1413.
- Osgood, E. A. See MacGown, M. W., 1259.
- Outram, I. Effects of synthetic juvenile hormone on adult emergence and reproduction of the female spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 271.
- Otvos, I. S. and Bryant, D. G. An extraction method for rapid sampling of eastern hemlock looper eggs, *Lambdina fiscellaria fiscellaria* (Lepidoptera: Geometridae), 1511.
- Peschken, D. P. *Chrysoline quadrigemina* (Coleoptera: Chrysomelidae) introduced from California to British Columbia against the weed *Hypericum perforatum*: Comparison of behaviour, physiology, and colour in association with post-colonization adaptation, 1689.
- Peterson, B. V. and Depner, K. R. A new species of *Prosimulium* from Alberta (Diptera: Simuliidae), 289.
- Peterson, B. V. and Ross, A. A new species of *Paratrichobius* (Diptera: Streblidae) from Arizona, 781.
- Philogène, B. J. R. Observations sur les effets simules de la pluie sur les larves de *Neodiprion swainei* (Hymenoptera, Diprionidae), 895. Volcanic ash for insect control, 1487.
- Piekford, R. and Gillott, C. Courtship behavior of the migratory grasshopper, *Melanoplus sanguinipes* (Orthoptera: Acrididae), 715. Coupling behaviour of the migratory grasshopper, *Melanoplus sanguinipes* (Orthoptera: Acrididae), 873.
- Pinto, J. D. A synopsis of the bionomics of *Phodaga alticeps* (Coleoptera: Meloidae) with special reference to sexual behavior, 577. A taxonomic revision of the genus *Cordylospasta* (Coleoptera: Meloidae) with an analysis of geographic variation in *C. opaca*, 1161.
- Pipher, R. E. See Morris, G. K., 977.
- Platnick, N. I. See Sauer, R. J., 35.

- Plowright, R. C.** See Eshelman, C. W., 389.
- Price, P. W.** Behavior of the parasitoid *Pleolophus basizonus* (Hymenoptera: Ichneumonidae) in response to changes in host and parasitoid density, 129.
Immediate and long-term effects of insecticide application on parasitoids in jack pine stands in Quebec, 263.
- Price, P. W. and Tripp, H. A.** Activity patterns of parasitoids on the Swaine jack pine sawfly, *Neodiprion swainei* (Hymenoptera: Diprionidae), and parasitoid impact on the host, 1003.
- Prokopy, R. J., Bennett, E. W., and Bush, G. L.** Mating behavior in *Rhagoletis pomonella* (Diptera: Tephritidae). II. Temporal organization, 97.
- Prokopy, R. J. and Bush, G. L.** Mating behavior in *Rhagoletis pomonella* (Diptera: Tephritidae). III. Male aggregation in response to an arrestant, 275.
- Proshold, F. I. and Bartell, J. A.** Postembryonic growth and development of F_1 and F_2 tobacco budworms (Lepidoptera: Noctuidae) from partially sterile males, 165.
Inherited sterility and postembryonic survival of two generations of tobacco budworms, *Heliothis virescens* (Lepidoptera: Noctuidae), from partially sterile males, 221.
Difference in radiosensitivity of two colonies of tobacco budworms, *Heliothis virescens* (Lepidoptera: Noctuidae), 995.
- Putnam, L. G.** See Lee, Y. W., 1745.
- Quednau, F. W.** A new species of *Hoplochaitophorus* from swamp white oak, with a key to the apterous forms of the genus (Homoptera: Aphididae), 1539.
- Quraishi, M. S.** Edaphic and water relationships of aldicarb and its metabolites, 1191.
Physiological interactions of *N*-saturated and unsaturated fatty acids and their esters with pre-imaginal stages of *Aedes aegypti* (Diptera: Culicidae), 1499.
- Toxic and teratogenic effects of esters of saturated and unsaturated fatty acids on house fly larvae (Diptera: Muscidae), 1505.
- Raske, A. G.** Immature stages, genitalia, and notes on the biology of *Coenopoeus palmeri* (Coleoptera: Cerambycidae), 121.
- Read, D. C.** A refined method of handling root maggot larvae (Diptera: Anthomyiidae) for bioassay, 597.
- Redner, J. H.** See Dondale, C. D., 1643.
- Renwick, J. A. A.** See Vité, J. P., 1967.
- Resh, V. H.** A technique for rearing caddisflies (Trichoptera), 1959.
- Richards, W. R.** Review of the *Solidago*-inhabiting aphids in Canada with descriptions of three new species (Homoptera: Aphididae), 1.
Cachryphora imbricaria, a new *Solidago*-inhabiting aphid from North Carolina (Homoptera: Aphididae), 823.
Dactynotus nodulus, a new *Aster*-infesting aphid from Ontario (Homoptera: Aphididae), 897.
Three new species of *Aulacorthum* from British Columbia, with a key to the Canadian species (Homoptera: Aphididae), 1017.
- Acyrtosiphon pedicularis*, a new aphid from the District of Keewatin, with a key to the Canadian species (Homoptera: Aphididae), 1149.
- Richerson, J. V. and Borden, J. H.** Host finding behavior of *Coeloides brunneri* (Hymenoptera: Braconidae), 1235.
Host finding by heat perception in *Coeloides brunneri* (Hymenoptera: Braconidae), 1877.
- Richmond, C. E.** See Lyon, R. L., 417.
- Ring, R. A.** See Morley, R. L., 1093, 1099.
- Robertson, J. L.** See Lyon, R. L., 417.
- Robinson, A. G.** Annotated list of aphids (Homoptera: Aphididae) collected in Thailand, with description of a new genus and species, 603.
A new species of aphid (Homoptera: Aphididae) from a pitcher plant, 955.
New species of aphids (Homoptera: Aphididae) from Thailand, 1925.
- Rooper, R. A.** See French, J. R. J., 1635.
- Ross, A.** See Peterson, B. V., 781.
- Rudinsky, J. A., Furniss, M. M., Kline, L. N., and Schmitz, R. F.** Attraction and repression of *Dendroctonus pseudotsugae* (Coleoptera: Scolytidae) by three synthetic pheromones in traps in Oregon and Idaho, 815.
- Ryan, J. K.** See Leech, R. E., 1787.
- Rye, J.** See LaBrecque, G. C., 885.
- Saha, J. G.** See Lee, Y. W., 1745.
- Salkeld, E. H.** The chorionic architecture of *Zelus exsanguis* (Hemiptera: Reduviidae), 433.

- Sanders, C. J.** Seasonal and daily activity patterns of carpenter ants (*Camponotus* spp.) in northwestern Ontario (Hymenoptera: Formicidae), 1681.
- Sanders, C. J.** and **Lucuik, G. S.** Factors affecting calling by female eastern spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1751.
- Sandness, J. N.** and **McMurtry, J. A.** Prey consumption behavior of *Amblyseius largoensis* in relation to hunger, 461.
- Santamour Jr., F. S.** See van Buitenen, J. P., 215.
- Sauer, R. J.** and **Platnick, N. I.** The crab spider genus *Ebo* (Araneida: Thomisidae) in the United States and Canada, 35.
- Schaffner, J. C.** See Kelton, L. A., 1439.
- Schmitz, R. F.** Behavior of *Ips pini* during mating, oviposition, and larval development (Coleoptera: Scolytidae), 1723.
See also Rudinsky, J. A., 815; Lanier, G. N., 1917.
- Scott, H. C.** See Brower, J. H., 1551.
- Seabrook, W. D.** See Mitchell, B. K., 1931.
- Shemanchuk, J. A.** Observations on the abundance and activity of three species of Ceratopogonidae (Diptera) in northeastern Alberta, 445.
- Shepard, M.** and **Gibson, F.** Spider-ant symbiosis: *Cotinusa* spp. (Araneida: Salticidae) and *Tapinoma melanocephalum* (Hymenoptera: Formicidae), 1951.
- Shepherd, R. F.** and **Gray, T. G.** Solution separation and maximum likelihood density estimates of hemlock looper (Lepidoptera: Geometridae) eggs in moss, 751.
- Shorthouse, J. D.** An emergence technique for small insects, 1331.
- Smallman, B. N.** See Mansingh, A., 1963.
- Smirnoff, W. A.** Sensibilité de *Archips cerasivoranus* (Lepidoptera-Tortricidae) à l'infection par *Bacillus thuringiensis*, 1153.
- Smith, L. B.** Wandering of larvae of *Cryptolestes ferrugineus* (Coleoptera: Cucujidae) among wheat kernels, 1655.
- Smith, S. G.** and **Macdonald, J. A.** Occurrence of *Pissodes fiskei* (Coleoptera: Curculionidae) in Canada: Cytology and geographic distribution, 785.
- Smith, T. D., Brown, N. R., and Carter, N. E.** A study of the soil fauna in a mature stand of red spruce (*Picea rubens*) in the University of New Brunswick forest, 1801.
- Specht, H. B.** The apple aphid *Aphis pomi* (Homoptera: Aphididae) on apple under summer conditions in a controlled environment cabinet, 105.
Cutworms of tobacco in Nova Scotia. I. Species complex and infestation, 1855.
- Srivastava, P. N.** See Auclair, J. L., 927.
- Starratt, A. N.** and **Loschiavo, S. R.** Aggregation of the confused flour beetle, *Tribolium confusum* (Coleoptera: Tenebrionidae), elicited by fungal triglycerides, 757.
- Steele, R. W.** See Mansingh, A., 1963.
- Stewart, J. F.** and **Brown, N. R.** Contact and residual effect of low-volume dosages of phosphamidon to *Choristoneura fumiferana* (Lepidoptera: Tortricidae) on two species of conifers, 1051.
- Storch, R. H.** and **Vaundell, W. L.** The effect of photoperiod on diapause induction and inhibition in *Hippodamia tredecimpunctata* (Coleoptera: Coccinellidae), 285.
- Sullivan, C. R.** and **Wallace, D. R.** The potential northern dispersal of the gypsy moth, *Popperaria dispar* (Lepidoptera: Lymantriidae), 1349.
- Swickard, M.** See Haas, G. E., 881.
- Syme, P. D.** The influence of constant temperatures on the non-diapause development of *Hyssopus thymus* (Hymenoptera: Eulophidae), 113.
- Syme, P. D.** and **Green, G. W.** The effect of *Orgilus obscurator* (Hymenoptera: Braconidae) on the development of the European pine shoot moth (Lepidoptera: Olethreutidae), 523.
- Tanasijtshuk, V. N.** See McAlpine, J. F., 1865.
- Teskey, H. J.** The mature larva and pupa of *Compsobata univitta* (Diptera: Micropezidae), 295.
- Thomas, H. A.** Feeding behaviour of the pales weevil. II. Response to some neutral lipid fractions of loblolly pine phloem, 427.
- Thompson, L. S.** See Loan, C. C., 779.
- Tostowaryk, W.** The effect of prey defense on the functional response of *Podisus modestus* (Hemiptera: Pentatomidae) to densities of the sawflies *Neodiprion swainei* and *N. pratti banksianae* (Hymenoptera: Neodiprionidae), 61.
- Tostowaryk, W.** and **McLeod, J. M.** Sequential sampling for egg clusters of the Swaine jack pine sawfly, *Neodiprion swainei* (Hymenoptera: Diprionidae), 1343.

- Trimble, R. M.** Occurrence of *Culiseta minnesotae* and *Aedes trivittatus* (Diptera: Culicidae) in Manitoba including a list of mosquitoes from Manitoba, 1535.
- Tripp, H. A.** See Price, P. W., 1003.
- Turnock, W. J.** Geographical and historical variability in population patterns and life systems of the larch sawfly (Hymenoptera: Tenthredinidae), 1883.
- Underwood, G. R.** See Embree, D. G., 89.
- Urquhart, F. A.** The effect of micro-cauterizing the AIPPM ("gold spot" of authors) of the pupa of the monarch butterfly, *Danaus p. plexippus* (Lepidoptera: Danaidae), 991.
Epidermal cells of the PPM ("gold spots") of the pupa of the monarch butterfly, *Danaus p. plexippus* (Lepidoptera: Danaidae), 1565.
- van Buijtenen, J. P. and Santamour, F. S.** Resin crystallization related to weevil resistance in white pine (*Pinus strobus*), 215.
- Vaundell, W. L.** See Storch, R. H., 285.
- Vité, J. P., Bakke, A., and Renwick, J. A. A.** Pheromones in *Ips* (Coleoptera: Scolytidae): Occurrence and production, 1967.
- Vockeroth, J. R.** A new Nearctic genus of Mycetophilidae (Diptera) with a stenopterous female, 1529.
- Wallace, D. R.** See Sullivan, C. R., 1349.
- Webster, J. M.** See Lam, A. B. Q., 899.
- West, A. S.** See Gross, H. P., 1217.
- Wheeler, A. G.** Studies on the arthropod fauna of alfalfa. II. Arthropod-fungus associations, 1405. III. Infection of the alfalfa plant bug, *Adelphocoris lineolatus* (Hemiptera: Miridae) by the fungus *Entomophthora erupta*, 1763.
See also Wood, D. M., 1363.
- Whitfield, T. L.** See Bailey, D. L., 641.
- Wicker, E. F.** See Furniss, M. M., 1713.
- Wiens, J. E. and Burgess, L.** An aspirator for collecting insects from dusty habitats, 1557.
- Wilson, N.** See Haas, G. E., 881.
- Witter, J. A. and Kulman, H. M.** Mortality factors affecting eggs of the forest tent caterpillar, *Malacosoma disstria* (Lepidoptera: Lasiocampidae), 705.
- Wold, J. L.** See Anderson, N. H., 189.
- Wong, H. R.** *Dioryctria banksiella* (Lepidoptera: Pyralidae) in the western gall rust, *Endocronartium harknessii* (Basidiomycetes: Uredinales), 251.
The spread of the European spruce sawfly, *Diprion hercyniae* (Hymenoptera: Diprionidae), in Manitoba, 755.
- Wong, H. R. and Milliron, H. E.** A Canadian species of *Susana* on western juniper (Hymenoptera: Tenthredinidae), 1025.
- Wood, D. M.** A revision of the New World Exoristini (Diptera: Tachinidae). I. *Phorocera* subgenus *Pseudotachinomyia*, 471.
- Wood, D. M. and Wheeler, A. G.** First record in North America of the centipede parasite *Loewia foeda* (Diptera: Tachinidae), 1363.
- Wylie, H. G.** Oviposition restraint of *Spalangia cameroni* (Hymenoptera: Pteromalidae) on parasitized housefly pupae, 209.
Larval competition among three hymenopterous parasite species on multiparasitized housefly (Diptera) pupae, 1181.
- Yahnke, W. and George, J. A.** Rearing and immature stages of the cluster fly (*Pollenia rufis*) (Diptera: Calliphoridae) in Ontario, 567.
- Yoshimoto, C. M.** Notes on two species of Brachyscelidiphaginae (Pteromalidae: Chalcidoidea, Hymenoptera), 969.
A new species of *Achrysocharis* (Eulophidae: Chalcidoidea) from pine needle scale (Diaspididae: Homoptera), 1483.
A new species of the genus *Stemmatosteres* (Encyrtidae: Chalcidoidea), 1837.

INDEX TO NEW TAXA

New Genera	PAGE	New Species	PAGE
<i>Baeopterogyna</i> Vockeroth (Diptera)	1529	<i>convexa</i> Wood, <i>Phorocera</i> (<i>Pseudotachinomyia</i>)	484
<i>Endecascelio</i> Masner & Dessart (Hymenoptera)	506	<i>convexus</i> Bright, <i>Pseudopityophthorus</i>	1672
<i>Microthoron</i> Masner (Hymenoptera)	847	<i>cordatus</i> Bright, <i>Tricolus</i>	1380
<i>Neothoron</i> Masner (Hymenoptera)	837	<i>cornopis</i> Masner, <i>Tanaoscelio</i>	1214
<i>Prognathotrichus</i> Bright (Coleoptera)	1678	<i>curtus</i> Bright, <i>Pseudopityophthorus</i>	1674
<i>Protaphelinus</i> Mackauer (Hymenoptera)	1775	<i>dentatus</i> Kelton, <i>Dichrooscytus</i>	1463
<i>Tanaodytes</i> Masner (Hymenoptera)	843	<i>difodinus</i> Bright, <i>Tricolus</i>	1380
<i>Tanaoscelio</i> Masner (Hymenoptera)	1213	<i>editus</i> Bright, <i>Prochramesus</i>	1495
<i>Thoronella</i> Masner (Hymenoptera)	839	<i>elegans</i> Masner, <i>Thoronella</i>	840
<i>Tritrichosiphum</i> Robinson (Homoptera)	606	<i>evansae</i> Sauer & Platnick, <i>Ebo</i>	41
New Species		<i>exigua</i> Wood, <i>Phorocera</i> (<i>Pseudotachinomyia</i>)	484
<i>abies</i> Freeman, <i>Argyresthia</i>	696	<i>feminis</i> Hamilton, <i>Macropsis</i>	825
<i>acornis</i> Lindquist, <i>Asca</i>	1543	<i>festivus</i> Howden, <i>Dialithus</i>	652
<i>acuminatus</i> Bright, <i>Pseudopityophthorus</i>	1671	<i>figitiosus</i> Kelton & Schaffner, <i>Dichrooscytus</i>	1442
<i>aesculinus</i> Bright, <i>Pseudopityophthorus</i>	1672	<i>flagellatus</i> Kelton, <i>Dichrooscytus</i>	1039
<i>albertensis</i> Peterson & Depner, <i>Prosimilium</i> (<i>Helodon</i>)	289	<i>flagitiosus</i> Kelton & Schaffner, <i>Dichrooscytus</i>	1442
<i>alni</i> Bright, <i>Chaetophloeus</i>	1492	<i>flavalis</i> Hamilton, <i>Macrosteles</i> (<i>Sagatus</i>)	829
<i>alpinus</i> Kelton, <i>Dichrooscytus</i>	1463	<i>formicarius</i> Dondale & Redner, <i>Cochlembolus</i>	1644
<i>angustiforceps</i> Wood, <i>Phorocera</i> (<i>Pseudotachinomyia</i>)	482	<i>fuscalis</i> Wong & Milliron, <i>Susana</i>	1025
<i>americanus</i> Peterson & Ross, <i>Paratrichobius</i>	781	<i>glabinus</i> Bright, <i>Corthylus</i>	1372
<i>anomalus</i> Bright, <i>Corthylus</i>	1378	<i>godavari</i> Masner, <i>Tiphodytes</i>	842
<i>atricornis</i> Kelton, <i>Bolteria</i>	634	<i>gracilis</i> Hamilton, <i>Gyponana</i>	828
<i>auriceps</i> Wood, <i>Phorocera</i> (<i>Pseudotachinomyia</i>)	482	<i>granarius</i> Lindquist, <i>Tarsoneurus</i>	1699
<i>aztecus</i> Bright, <i>Corthylus</i>	1374	<i>granulatum</i> Bright, <i>Monarthrum</i>	1382
<i>aztecus</i> Kelton, <i>Dichrooscytus</i>	1457	<i>hirsutus</i> Bright, <i>Pseudopityophthorus</i>	1668
<i>baoeoides</i> Masner, <i>Microthoron</i>	847	<i>imbricaria</i> Richards, <i>Cachryphora</i>	823
<i>bifidus</i> Bright, <i>Monarthrum</i>	1381	<i>immitus</i> Bright, <i>Pityoborus</i>	1674
<i>bison</i> Hamilton, <i>Laevicephalus</i>	829	<i>ivei</i> Sauer & Platnick, <i>Ebo</i>	41
<i>bordonorum</i> Munroe, <i>Midila</i>	711	<i>jeanae</i> Robinson, <i>Macrosiphum</i>	955
<i>brevirostris</i> Kelton, <i>Dichrooscytus</i>	1462	<i>junea</i> Hamilton, <i>Cicadula</i>	828
<i>canadensis</i> Freeman, <i>Argyresthia</i>	692	<i>khasiae</i> Robinson, <i>Cinara</i>	1925
<i>canadensis</i> Richards, <i>Dactynotus</i>	7	<i>kuchari</i> Yoshimoto, <i>Stemmatosteres</i>	1837
<i>cantralli</i> Sauer & Platnick, <i>Ebo</i> (<i>Titanobo</i>)	54	<i>lautus</i> Masner, <i>Neothoron</i>	839
<i>cedrosa</i> Hardy, <i>Megasoma</i>	773	<i>lecontei</i> Hardy, <i>Megasoma</i>	776
<i>chiengmaiensis</i> Robinson, <i>Greenidea</i> (<i>Trichosiphum</i>)	1927	<i>leptus</i> Bright, <i>Neodryocoetes</i>	1666
<i>cincinnatus</i> Bright, <i>Corthylocurus</i>	1379	<i>longipes</i> Masner, <i>Tanaodytes</i>	844
<i>clavicornis</i> Richards, <i>Aulacorthum</i>	1019	<i>longirostris</i> Kelton, <i>Dichrooscytus</i>	1461
<i>columbia</i> Freeman, <i>Argyresthia</i>	696	<i>macer</i> Bright, <i>Neodryocoetes</i>	1666
<i>comosus</i> Bright, <i>Pseudopityophthorus</i>	1670	<i>mariana</i> Freeman, <i>Argyresthia</i>	695
<i>concavus</i> Bright, <i>Corthylus</i>	1376	<i>marmorata</i> Ferguson, <i>Semiothisa</i>	564
<i>conciliata</i> McAlpine & Tanasijshuk, <i>Leucopis</i> (<i>Leucopis</i>)	1871	<i>mexicana</i> Kelton, <i>Bolteria</i>	629
<i>contrastus</i> Sauer & Platnick, <i>Ebo</i>	43	<i>mexicanus</i> Kelton, <i>Caphoborus</i>	1491
		<i>minutus</i> Bright, <i>Corthylus</i>	1373
		<i>minutus</i> Kelton & Schaffner, <i>Dichrooscytus</i>	1441

	PAGE		PAGE
<i>mixtecus</i> Bright, <i>Phloeotribus</i>	1494	<i>severus</i> Bright, <i>Pityoborus</i>	1676
<i>montanus</i> Bright, <i>Pseudopityophthorus</i>		<i>silvaticus</i> Bright, <i>Scolytes</i>	1489
<i>mymar</i> Masner, <i>Tiphodytes</i>	843	<i>sleeperi</i> Hardy, <i>Megasoma</i>	775
<i>nodulus</i> Richards, <i>Dactynotus</i>	897	<i>solirostratus</i> Richards, <i>Dactynotus</i>	28
<i>nudipes</i> Vockeroth, <i>Baeopterogyna</i>	1532	<i>soror</i> Masner, <i>Tanaodytes</i>	844
<i>oaxacaensis</i> Bright, <i>Monarthrum</i>	1382	<i>spinatus</i> Bright, <i>Amphicranus</i>	1383
<i>ochreus</i> Kelton, <i>Dichrooscytus</i>	1461	<i>spiniferus</i> Quednau, <i>Hoplochaitophorus</i>	1539
<i>pallidus</i> Halstead, <i>Largus</i>	959	<i>splendidus</i> Bright, <i>Corthyulus</i>	1371
<i>pedicularis</i> Richards, <i>Acyrtosiphon</i>	1150	<i>squamosus</i> Bright, <i>Pseudopityophthorus</i>	1670
<i>phenacapsia</i> Yoshimoto, <i>Achrysocharis</i>	1483	<i>stelleri</i> Loan, <i>Microctonus</i>	1446
<i>picea</i> Freeman, <i>Argyresthia</i>	695	<i>stipitipennis</i> Masner & Dessart, <i>Endecascelio</i>	507
<i>pieloui</i> Richards, <i>Dactynotus</i>	23	<i>taoensis</i> Kelton & Schaffner, <i>Dichrooscytus</i>	1443
<i>pinistrobata</i> Ferguson, <i>Semiothisa</i>	563	<i>texanus</i> Kelton & Schaffner, <i>Dichrooscytus</i>	1443
<i>primus</i> Bright, <i>Prognathotrichus</i>	1678	<i>thailandicum</i> Robinson, <i>Tritrichosiphum</i>	606
<i>procerus</i> Bright, <i>Corthyulus</i>	1376	<i>theocallis</i> Bright, <i>Cnesinus</i>	1493
<i>pseudotsuga</i> Freeman, <i>Argyresthia</i>	697	<i>tolticus</i> Kelton, <i>Dichrooscytus</i>	1460
<i>pterinigrum</i> Richards, <i>Aulacorthum</i>	1019	<i>truncatus</i> Bright, <i>Pseudopityophthorus</i>	1673
<i>punctatus</i> Sauer & Platnick, <i>Ebo</i>	44	<i>tsuga</i> Freeman, <i>Argyresthia</i>	697
<i>ramosus</i> Bright, <i>Pityoborus</i>	1677	<i>tuberculatus</i> Bright, <i>Neodryocoetes</i>	1665
<i>reburrus</i> Bright, <i>Corthyulus</i>	1375	<i>varispinus</i> Hamilton, <i>Paraphlepsius</i>	830
<i>reticulatus</i> Bright, <i>Sampsonius</i>	1369	<i>villus</i> Bright, <i>Corthyulus</i>	1371
<i>rostratus</i> Kelton, <i>Dichrooscytus</i>	1041	<i>vinea</i> Hamilton, <i>Macropsis</i>	827
<i>rubidus</i> Kelton, <i>Dichrooscytus</i>	1042	<i>vinealis</i> Bright, <i>Neodryocoetes</i>	1667
<i>rubromaculatus</i> Kelton, <i>Dichrooscytus</i>		<i>virgatus</i> Bright, <i>Scolytes</i>	1490
<i>rufusculus</i> Kelton, <i>Dichrooscytus</i>	1464	<i>yiae</i> Mutuura & Munroe, <i>Dioryctria</i>	622
<i>sauroni</i> Hamilton, <i>Macropsis</i>	827	<i>yongyooti</i> Robinson, <i>Macrosiphum</i> (<i>Sitobion</i>)	1928
<i>scabrosum</i> Richards, <i>Aulacorthum</i>	1021	<i>zapotecus</i> Bright, <i>Cnesinus</i>	1493
<i>scintillans</i> Howden, <i>Dialithus</i>	650		
<i>scutata</i> Kelton, <i>Bolteria</i>	632		
<i>scutellata</i> Kelton, <i>Bolteria</i>	632		
<i>selangor</i> Masner, <i>Tiphodytes</i>	843		

7